


Drill Collar Plan And Cross Sections To Accompany
Aftermath Silver Berenguela Drill Results News Release
May 4, 2022


Refer to QP & QA/QC Statement in the NR

Berenguela Project Location




May 4, 2022 Drill Results

Hole	From (m)	To (m)	Width ² (m)	Ag ppm	Cu %	Mn %	Zn %
AFD-001	0.00	29.80	27.25*	186	1.75	15.9	0.40
<i>and</i>	60.80	74.80	14.00	118	0.43	16.8	0.46
AFD-002	0.00	44.50	42.35*	179	1.67	13.1	0.30
AFD-003	10.30	18.00	7.70	117	1.19	9.1	0.27
<i>and</i>	26.70	40.10	13.40	319	1.12	12.2	0.92
<i>and</i>	53.70	64.65	10.95	773	1.89	14.2	0.62
AFD-004	12.50	68.80	56.30	195	1.74	16.26	0.63
<i>Inc</i>	25.50	30.50	5.00	627	0.99	25.41	1.34
AFD-005	3.00	11.80	5.90*	143	1.27	12.26	0.30
<i>inc</i>	24.50	77.75	53.25	256	1.29	12.4	0.26
	30.90	39.90	9.00	781	1.26	21.1	0.33
AFD-009	2.00	20.60	18.60	83	1.76	7.9	0.29
<i>and</i>	29.60	65.20	29.40*	203	1.65	13.8	0.62



Section 1650E



AFD holes are 2021/2 diamond drilling. BER holes are 2004/5 RC drilling.

Holes AFD-006, AFD-010, AFD-011, and AFD-026 are yet to report results. Intersection grades for AFD holes can be found on next page

Section 1650E Drill Intercepts

Campaign	Hole	From (m)	To (m)	Width (m)	Ag ppm	Cu %	Mn %	Zn %
2021/2 Diamond Drilling	AFD-001	0.00	29.80	27.25	186	1.75	15.93	0.40
	AFD-001	60.80	74.80	14.00	118	0.43	16.79	0.46
	AFD-002	0.00	44.50	42.35	179	1.67	13.08	0.30
	AFD-003	10.30	18.00	7.70	117	1.19	9.10	0.27
	AFD-003	26.70	40.10	13.40	319	1.12	12.16	0.92
	AFD-003	53.70	64.65	10.95	773	1.89	14.21	0.62
	AFD-004	12.50	68.80	56.30	195	1.74	16.26	0.63
	inc	25.50	30.50	5.00	627	0.99	25.41	1.34
2004/5 Reverse Circulation Drilling	BER-001	0.00	54.00	54.00	314	1.60	16.17	0.31
	BER-002	0.00	19.00	19.00	191	1.38	19.11	0.45
	BER-002	24.00	35.00	11.00	190	1.54	14.17	0.24
	BER-002	52.00	79.00	27.00	54	1.44	19.30	0.41
	BER-002	84.00	91.00	7.00	23	1.07	9.74	0.24
	BER-017	2.00	20.00	18.00	110	1.57	12.04	0.36
	BER-017	33.00	42.00	9.00	55	0.79	6.29	0.55
	BER-017	50.00	60.00	10.00	167	0.77	14.49	0.74
	BER-018	6.00	13.00	7.00	69	0.53	5.67	0.32
	BER-018	15.00	34.00	19.00	139	1.52	13.54	0.29
	BER-018	43.00	69.00	26.00	107	1.01	14.84	0.42
	BER-019	0.00	10.00	10.00	105	1.03	12.45	0.43
	BER-019	22.00	69.00	47.00	155	2.15	16.29	0.31
	BER-021	25.00	37.00	12.00	148	2.00	11.49	0.75
	BER-022	24.00	47.00	23.00	341	0.55	13.14	0.86
	BER-022	52.00	63.00	11.00	121	1.92	9.57	0.46
	BER-022	65.00	80.00	15.00	54	0.87	10.49	0.36
	BER-110	0.00	7.00	7.00	70	0.46	6.05	0.48



These historical drill intercepts for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled "Berenguela Silver-Copper-Manganese Property Update" filed on SEDAR on February 25, 2021, authored by independent QP's J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.

The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although After believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.

Section 1700E

SOUTH

NORTH



AFD holes are 2021/2 diamond drilling. BER holes are 2004/5 RC drilling.

Holes AFD-006, AFD-010, AFD-011, and AFD-026 are yet to report results. Intersection grades for AFD holes can be found on next page

Section 1700E Drill Intercepts

Campaign	Hole	From (m)	To (m)	Width (m)	Ag ppm	Cu %	Mn %	Zn %
2021/2 Diamond Drilling	AFD-005	3.00	11.80	5.90	143	1.27	12.26	0.30
	AFD-005	24.50	77.75	53.25	256	1.29	12.38	0.26
	Inc	30.90	39.90	9.00	781	1.26	21.14	0.33
	AFD-009	2.00	20.60	18.60	83	1.76	7.92	0.29
	AFD-009	29.60	65.20	29.40	203	1.65	13.77	0.62
	Inc	50.50	58.10	5.40	448	1.62	19.56	0.57
2004/5 Reverse Circulation Drilling	BER-003	0.00	24.00	24.00	177	1.12	13.66	0.40
	BER-003	30.00	39.00	9.00	75	0.37	4.61	0.17
	BER-014	0.00	16.00	16.00	41	0.94	10.56	0.39
	BER-014	26.00	61.00	35.00	100	1.43	10.86	0.86
	BER-015	0.00	53.00	53.00	92	1.21	11.50	0.48
	BER-015	58.00	67.00	9.00	52	1.50	17.20	0.43
	BER-016	0.00	29.00	29.00	57	0.84	9.82	0.40
	BER-016	32.00	39.00	7.00	94	1.07	13.92	0.34
	BER-025	28.00	41.00	13.00	83	1.18	16.18	0.84
	BER-025	48.00	63.00	15.00	226	2.61	14.21	0.75
	BER-025	87.00	95.00	8.00	59	0.79	16.02	0.60
	BER-025	103.00	110.00	7.00	34	1.02	3.63	0.23

These historical drill intercepts for BER RC holes drilled on the Berenguela project were taken from the 2021 NI 43-101 Technical Report on the Berenguela property titled "Berenguela Silver-Copper-Manganese Property Update" filed on SEDAR on February 25, 2021, authored by independent QP's J.M. Shannon P.Geo, M.A. Batelochi MAusIMM (CP), and G.S. Lane FAusIMM, and has an effective date of February 18, 2021, filed on the Aftermath Silver SEDAR profile.

The reader is cautioned that these are historical drill intercepts and as such cannot be relied upon, although After believes the historical work to have been completed to a high standard. Aftermath is currently drilling at Berenguela to verify a selection of the historic drill holes completed at Berenguela.