




WGS 84 / UTM zone 19S

IKONOS satellite image April 2004







WGS 84 / UTM zone 19S

IKONOS satellite image April 2004








Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD076	0.00	17.80	17.80	118	0.15	1.81	0.11
AFD077	0.00	11.60	11.60	84	0.16	1.31	0.09

**Section 1250E - Ag**


- Current collars
- Previous collars



Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD076	0.00	17.80	17.80	118	0.15	1.81	0.11
AFD077	0.00	11.60	11.60	84	0.16	1.31	0.09

**Section 1250E - Cu**


- Current collars
- Previous collars



Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD076	0.00	17.80	17.80	118	0.15	1.81	0.11
AFD077	0.00	11.60	11.60	84	0.16	1.31	0.09

**Section 1250E - Mn**


- Current collars
- Previous collars





Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD070	1.80	29.20	27.40	75	0.97	10.42	0.34
AFD071	8.00	31.60	23.60	319	2.19	17.43	0.51
AFD072	2.60	34.20	31.60	63	1.23	15.97	0.55
<b>Inc</b>	<b>24.30</b>	<b>31.65</b>	<b>7.35</b>	<b>87</b>	<b>1.67</b>	<b>31.30</b>	<b>0.76</b>
AFD073	NSM						
AFD074	0.00	9.10	9.10	101	0.59	6.30	0.35
AFD075	0.00	10.95	10.95	104	0.57	6.55	0.34

**Section 1350E - Ag**

- Current collars
- Previous collars









**Section 1350E - Mn**

- Current collars
- Previous collars



Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD070	1.80	29.20	27.40	75	0.97	10.42	0.34
AFD071	8.00	31.60	23.60	319	2.19	17.43	0.51
AFD072	2.60	34.20	31.60	63	1.23	15.97	0.55
<b>Inc</b>	<b>24.30</b>	<b>31.65</b>	<b>7.35</b>	<b>87</b>	<b>1.67</b>	<b>31.30</b>	<b>0.76</b>
AFD073	NSM						
AFD074	0.00	9.10	9.10	101	0.59	6.30	0.35
AFD075	0.00	10.95	10.95	104	0.57	6.55	0.34



**Section 1400E - Ag**

- Current collars
- Previous collars

Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD064	0.00	8.55	8.55	27	0.50	6.92	0.54
AFD064	21.30	31.90	10.60	34	1.12	1.62	0.11
AFD065	0.00	6.15	6.15	26	0.39	9.98	0.76
AFD065	44.40	54.70	10.30	17	0.49	4.16	0.53
AFD066	0.00	7.30	7.30	69	0.91	6.32	0.50
AFD066	19.40	26.10	6.70	95	0.78	11.74	0.89
AFD066	32.10	45.70	13.60	69	1.02	18.43	0.53
AFD066	51.10	63.70	12.60	44	0.87	16.34	0.50
AFD067	8.20	23.00	14.80	37	0.59	4.83	0.26
AFD067	45.00	51.90	6.90	51	0.90	10.65	0.48
AFD068	0.00	8.20	8.20	79	1.34	10.21	0.49
AFD069	0.00	8.40	8.40	76	1.41	11.96	0.54





**Section 1400E - Cu**

- Current collars
- Previous collars

Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD064	0.00	8.55	8.55	27	0.50	6.92	0.54
AFD064	21.30	31.90	10.60	34	1.12	1.62	0.11
AFD065	0.00	6.15	6.15	26	0.39	9.98	0.76
AFD065	44.40	54.70	10.30	17	0.49	4.16	0.53
AFD066	0.00	7.30	7.30	69	0.91	6.32	0.50
AFD066	19.40	26.10	6.70	95	0.78	11.74	0.89
AFD066	32.10	45.70	13.60	69	1.02	18.43	0.53
AFD066	51.10	63.70	12.60	44	0.87	16.34	0.50
AFD067	8.20	23.00	14.80	37	0.59	4.83	0.26
AFD067	45.00	51.90	6.90	51	0.90	10.65	0.48
AFD068	0.00	8.20	8.20	79	1.34	10.21	0.49
AFD069	0.00	8.40	8.40	76	1.41	11.96	0.54







Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD064	0.00	8.55	8.55	27	0.50	6.92	0.54
AFD064	21.30	31.90	10.60	34	1.12	1.62	0.11
AFD065	0.00	6.15	6.15	26	0.39	9.98	0.76
AFD065	44.40	54.70	10.30	17	0.49	4.16	0.53
AFD066	0.00	7.30	7.30	69	0.91	6.32	0.50
AFD066	19.40	26.10	6.70	95	0.78	11.74	0.89
AFD066	32.10	45.70	13.60	69	1.02	18.43	0.53
AFD066	51.10	63.70	12.60	44	0.87	16.34	0.50
AFD067	8.20	23.00	14.80	37	0.59	4.83	0.26
AFD067	45.00	51.90	6.90	51	0.90	10.65	0.48
AFD068	0.00	8.20	8.20	79	1.34	10.21	0.49
AFD069	0.00	8.40	8.40	76	1.41	11.96	0.54

**Section 1400E - Mn**



- Current collars
- Previous collars



**Section 2100E - Ag**

- Current collars
- Previous collars

Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD105	0.00	9.90	9.90	128	1.05	15.07	0.59
AFD106	0.00	12.50	12.50	34	0.88	13.33	0.45
AFD107	0.00	29.40	29.40	32	1.03	9.99	0.34
AFD110	0.00	24.65	24.65	83	0.85	4.50	0.52
AFD110	31.45	62.50	31.05	56	0.90	6.30	0.43
AFD110	66.50	71.50	5.00	67	0.59	0.75	0.05
AFD110	85.65	106.50	20.85	125	0.66	3.56	0.27
AFD111	0.00	10.10	10.10	273	0.90	4.11	0.66
AFD111	36.85	57.00	20.15	139	0.65	4.13	0.48
AFD112	0.00	15.60	15.60	93	0.79	5.76	0.74
AFD113	0.00	41.00	41.00	47	0.50	3.04	0.32




Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD105	0.00	9.90	9.90	128	1.05	15.07	0.59
AFD106	0.00	12.50	12.50	34	0.88	13.33	0.45
AFD107	0.00	29.40	29.40	32	1.03	9.99	0.34
AFD110	0.00	24.65	24.65	83	0.85	4.50	0.52
AFD110	31.45	62.50	31.05	56	0.90	6.30	0.43
AFD110	66.50	71.50	5.00	67	0.59	0.75	0.05
AFD110	85.65	106.50	20.85	125	0.66	3.56	0.27
AFD111	0.00	10.10	10.10	273	0.90	4.11	0.66
AFD111	36.85	57.00	20.15	139	0.65	4.13	0.48
AFD112	0.00	15.60	15.60	93	0.79	5.76	0.74
AFD113	0.00	41.00	41.00	47	0.50	3.04	0.32

**Section 2100E - Cu**

- Current collars
- Previous collars






Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD105	0.00	9.90	9.90	128	1.05	15.07	0.59
AFD106	0.00	12.50	12.50	34	0.88	13.33	0.45
AFD107	0.00	29.40	29.40	32	1.03	9.99	0.34
AFD110	0.00	24.65	24.65	83	0.85	4.50	0.52
AFD110	31.45	62.50	31.05	56	0.90	6.30	0.43
AFD110	66.50	71.50	5.00	67	0.59	0.75	0.05
AFD110	85.65	106.50	20.85	125	0.66	3.56	0.27
AFD111	0.00	10.10	10.10	273	0.90	4.11	0.66
AFD111	36.85	57.00	20.15	139	0.65	4.13	0.48
AFD112	0.00	15.60	15.60	93	0.79	5.76	0.74
AFD113	0.00	41.00	41.00	47	0.50	3.04	0.32

**Section 2100E - Mn**


- Current collars
- Previous collars



Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD108	0.00	23.20	23.20	163	1.06	3.26	0.41
AFD108	30.70	72.95	42.25	66	0.92	3.68	0.25
AFD108	82.20	101.40	19.20	62	1.00	4.84	0.23
AFD109	0.00	27.35	27.35	187	0.94	5.13	0.60
<b>Inc</b>	<b>10.45</b>	<b>16.05</b>	<b>5.60</b>	<b>434</b>	<b>1.30</b>	<b>6.33</b>	<b>0.73</b>
AFD109	63.00	79.55	16.55	75	0.33	1.82	0.19

**Section 2150E - Ag**

- Current collars
- Previous collars




Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD108	0.00	23.20	23.20	163	1.06	3.26	0.41
AFD108	30.70	72.95	42.25	66	0.92	3.68	0.25
AFD108	82.20	101.40	19.20	62	1.00	4.84	0.23
AFD109	0.00	27.35	27.35	187	0.94	5.13	0.60
<b>Inc</b>	<b>10.45</b>	<b>16.05</b>	<b>5.60</b>	<b>434</b>	<b>1.30</b>	<b>6.33</b>	<b>0.73</b>
AFD109	63.00	79.55	16.55	75	0.33	1.82	0.19

**Section 2150E - Cu**

- Current collars
- Previous collars





Hole	From	To	Width (m)	Ag g/t	Cu %	Mn %	Zn %
AFD108	0.00	23.20	23.20	163	1.06	3.26	0.41
AFD108	30.70	72.95	42.25	66	0.92	3.68	0.25
AFD108	82.20	101.40	19.20	62	1.00	4.84	0.23
AFD109	0.00	27.35	27.35	187	0.94	5.13	0.60
<b>Inc</b>	<b>10.45</b>	<b>16.05</b>	<b>5.60</b>	<b>434</b>	<b>1.30</b>	<b>6.33</b>	<b>0.73</b>
AFD109	63.00	79.55	16.55	75	0.33	1.82	0.19

**Section 2150E - Mn**

- Current collars
- Previous collars