


Section 1000E - Ag

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD169	0.00	13.50	13.50	96	1.15	25.28	0.59
AFD169	18.10	39.70	18.60	87	1.17	9.37	0.33
AFD170	0.00	39.00	37.80	150	1.65	26.26	0.49
AFD171	0.00	42.90	40.90	98	1.18	16.44	0.34
AFD171	46.50	53.65	7.15	174	0.53	2.90	0.19



Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD169	0.00	13.50	13.50	96	1.15	25.28	0.59
AFD169	18.10	39.70	18.60	87	1.17	9.37	0.33
AFD170	0.00	39.00	37.80	150	1.65	26.26	0.49
AFD171	0.00	42.90	40.90	98	1.18	16.44	0.34
AFD171	46.50	53.65	7.15	174	0.53	2.90	0.19

Section 1000E - Cu


- Current collars
- Previous collars



Section 1000E - Mn

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD169	0.00	13.50	13.50	96	1.15	25.28	0.59
AFD169	18.10	39.70	18.60	87	1.17	9.37	0.33
AFD170	0.00	39.00	37.80	150	1.65	26.26	0.49
AFD171	0.00	42.90	40.90	98	1.18	16.44	0.34
AFD171	46.50	53.65	7.15	174	0.53	2.90	0.19



Hole	From (m)	To (m)	Width (m)	Agg't	Cu %	Mn %	Zn %
AFD163	0.00	20.75	19.15	179	0.88	7.08	0.36
AFD164	0.00	27.25	25.25	184	1.39	19.09	0.60
<i>Inc.</i>	6.80	13.40	4.60	146	2.75	11.46	0.42
<i>Inc.</i>	16.80	22.40	5.60	300	1.11	33.34	0.79
AFD165	0.00	41.85	34.65	73	1.46	14.58	0.42
<i>Inc.</i>	8.00	20.90	8.90	84	2.67	10.14	0.27
AFD165	46.10	80.75	33.15	394	1.19	6.37	0.17
<i>Inc.</i>	56.90	78.05	19.65	583	1.13	6.30	0.16
AFD165	89.05	101.40	10.85	120	0.75	3.51	0.13

Section 1075E - Ag


- Current collars
- Previous collars



Section 1075E - Cu

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg't	Cu %	Mn %	Zn %
AFD163	0.00	20.75	19.15	179	0.88	7.08	0.36
AFD164	0.00	27.25	25.25	184	1.39	19.09	0.60
<i>Inc.</i>	6.80	13.40	4.60	146	2.75	11.46	0.42
<i>Inc.</i>	16.80	22.40	5.60	300	1.11	33.34	0.79
AFD165	0.00	41.85	34.65	73	1.46	14.58	0.42
<i>Inc.</i>	8.00	20.90	8.90	84	2.67	10.14	0.27
AFD165	46.10	80.75	33.15	394	1.19	6.37	0.17
<i>Inc.</i>	56.90	78.05	19.65	583	1.13	6.30	0.16
AFD165	89.05	101.40	10.85	120	0.75	3.51	0.13



Section 1075E - Mn

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg't	Cu %	Mn %	Zn %
AFD163	0.00	20.75	19.15	179	0.88	7.08	0.36
AFD164	0.00	27.25	25.25	184	1.39	19.09	0.60
<i>Inc.</i>	6.80	13.40	4.60	146	2.75	11.46	0.42
<i>Inc.</i>	16.80	22.40	5.60	300	1.11	33.34	0.79
AFD165	0.00	41.85	34.65	73	1.46	14.58	0.42
<i>Inc.</i>	8.00	20.90	8.90	84	2.67	10.14	0.27
AFD165	46.10	80.75	33.15	394	1.19	6.37	0.17
<i>Inc.</i>	56.90	78.05	19.65	583	1.13	6.30	0.16
AFD165	89.05	101.40	10.85	120	0.75	3.51	0.13



Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD166	0.00	11.90	8.90	370	3.76	19.83	0.35
AFD166	35.20	51.00	14.30	94	1.05	19.53	0.39
AFD166	53.10	68.40	15.30	101	1.22	13.31	0.20
AFD167	0.00	43.00	41.20	90	1.23	15.74	0.38
AFD167	50.90	74.70	23.30	160	0.34	4.32	0.29
AFD168	0.00	4.70	4.70	32	2.12	17.58	0.46
AFD168	10.65	41.10	27.55	79	1.23	10.98	0.56

Section 1125E - Ag


- Current collars
- Previous collars



Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD166	0.00	11.90	8.90	370	3.76	19.83	0.35
AFD166	35.20	51.00	14.30	94	1.05	19.53	0.39
AFD166	53.10	68.40	15.30	101	1.22	13.31	0.20
AFD167	0.00	43.00	41.20	90	1.23	15.74	0.38
AFD167	50.90	74.70	23.30	160	0.34	4.32	0.29
AFD168	0.00	4.70	4.70	32	2.12	17.58	0.46
AFD168	10.65	41.10	27.55	79	1.23	10.98	0.56

Section 1125E - Cu


- Current collars
- Previous collars



Hole	From (m)	To (m)	Width (m)	Agg/t	Cu %	Mn %	Zn %
AFD166	0.00	11.90	8.90	370	3.76	19.83	0.35
AFD166	35.20	51.00	14.30	94	1.05	19.53	0.39
AFD166	53.10	68.40	15.30	101	1.22	13.31	0.20
AFD167	0.00	43.00	41.20	90	1.23	15.74	0.38
AFD167	50.90	74.70	23.30	160	0.34	4.32	0.29
AFD168	0.00	4.70	4.70	32	2.12	17.58	0.46
AFD168	10.65	41.10	27.55	79	1.23	10.98	0.56

Section 1125E - Mn


- Current collars
- Previous collars



Section 1475E - Ag

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD175	3.20	41.60	38.40	132	0.93	8.19	0.88
<i>Inc.</i>	14.70	19.70	5.00	448	1.32	7.29	0.87
AFD176	0.00	23.45	21.45	147	1.25	8.42	0.70
AFD177	7.70	17.50	9.80	216	0.79	14.36	1.21
AFD177	28.80	38.60	8.20	94	0.61	4.25	0.29
AFD178	1.00	18.40	17.40	96	0.61	11.21	1.00
AFD178	26.70	30.85	2.35	286	0.54	2.24	0.20
AFD178	36.80	44.95	8.15	50	0.46	10.77	0.64
AFD178	49.70	74.20	17.00	323	1.64	20.44	0.78
<i>Inc.</i>	66.00	74.20	6.70	493	3.14	20.64	0.47
AFD178	78.70	82.40	3.70	382	1.65	17.09	0.47



Section 1475E - Cu

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD175	3.20	41.60	38.40	132	0.93	8.19	0.88
<i>Inc.</i>	14.70	19.70	5.00	448	1.32	7.29	0.87
AFD176	0.00	23.45	21.45	147	1.25	8.42	0.70
AFD177	7.70	17.50	9.80	216	0.79	14.36	1.21
AFD177	28.80	38.60	8.20	94	0.61	4.25	0.29
AFD178	1.00	18.40	17.40	96	0.61	11.21	1.00
AFD178	26.70	30.85	2.35	286	0.54	2.24	0.20
AFD178	36.80	44.95	8.15	50	0.46	10.77	0.64
AFD178	49.70	74.20	17.00	323	1.64	20.44	0.78
<i>Inc.</i>	66.00	74.20	6.70	493	3.14	20.64	0.47
AFD178	78.70	82.40	3.70	382	1.65	17.09	0.47



Section 1475E - Mn

- Current collars
- Previous collars



Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD175	3.20	41.60	38.40	132	0.93	8.19	0.88
<i>Inc.</i>	14.70	19.70	5.00	448	1.32	7.29	0.87
AFD176	0.00	23.45	21.45	147	1.25	8.42	0.70
AFD177	7.70	17.50	9.80	216	0.79	14.36	1.21
AFD177	28.80	38.60	8.20	94	0.61	4.25	0.29
AFD178	1.00	18.40	17.40	96	0.61	11.21	1.00
AFD178	26.70	30.85	2.35	286	0.54	2.24	0.20
AFD178	36.80	44.95	8.15	50	0.46	10.77	0.64
AFD178	49.70	74.20	17.00	323	1.64	20.44	0.78
<i>Inc.</i>	66.00	74.20	6.70	493	3.14	20.64	0.47
AFD178	78.70	82.40	3.70	382	1.65	17.09	0.47



Section 1525E - Ag

- Current collars
- Previous collars


Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD172	8.20	22.70	13.50	118	1.15	8.94	0.90
AFD172	27.05	42.10	15.05	48	0.54	12.01	0.70
AFD173	8.00	35.30	26.30	123	1.06	8.53	0.95
AFD174	30.00	45.20	13.20	113	1.12	7.63	0.60
AFD174	83.00	89.20	6.20	188	0.71	17.72	0.62
AFD179	20.40	41.65	19.25	117	0.72	8.65	0.76
AFD180	0.00	12.60	10.40	53	1.47	8.67	0.38
AFD180	64.45	69.00	4.55	447	1.78	10.42	0.33
AFD181	21.10	51.60	30.50	117	1.54	16.56	0.53
<i>Inc.</i>	38.00	51.60	13.60	120	2.56	20.32	0.34
AFD181	56.80	63.30	6.50	56	1.89	15.85	0.39



Section 1525E - Cu

- Current collars
- Previous collars

Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD172	8.20	22.70	13.50	118	1.15	8.94	0.90
AFD172	27.05	42.10	15.05	48	0.54	12.01	0.70
AFD173	8.00	35.30	26.30	123	1.06	8.53	0.95
AFD174	30.00	45.20	13.20	113	1.12	7.63	0.60
AFD174	83.00	89.20	6.20	188	0.71	17.72	0.62
AFD179	20.40	41.65	19.25	117	0.72	8.65	0.76
AFD180	0.00	12.60	10.40	53	1.47	8.67	0.38
AFD180	64.45	69.00	4.55	447	1.78	10.42	0.33
AFD181	21.10	51.60	30.50	117	1.54	16.56	0.53
<i>Inc.</i>	38.00	51.60	13.60	120	2.56	20.32	0.34
AFD181	56.80	63.30	6.50	56	1.89	15.85	0.39



Section 1525E - Mn

- Current collars
- Previous collars

Hole	From (m)	To (m)	Width (m)	Agg/t	Cu%	Mn%	Zn%
AFD172	8.20	22.70	13.50	118	1.15	8.94	0.90
AFD172	27.05	42.10	15.05	48	0.54	12.01	0.70
AFD173	8.00	35.30	26.30	123	1.06	8.53	0.95
AFD174	30.00	45.20	13.20	113	1.12	7.63	0.60
AFD174	83.00	89.20	6.20	188	0.71	17.72	0.62
AFD179	20.40	41.65	19.25	117	0.72	8.65	0.76
AFD180	0.00	12.60	10.40	53	1.47	8.67	0.38
AFD180	64.45	69.00	4.55	447	1.78	10.42	0.33
AFD181	21.10	51.60	30.50	117	1.54	16.56	0.53
<i>Inc.</i>	38.00	51.60	13.60	120	2.56	20.32	0.34
AFD181	56.80	63.30	6.50	56	1.89	15.85	0.39